



Privatdozent Dr. med. Dr. med. habil.
GEORG REIMER
ARZT FÜR HAUTHEILKUNDE

WISSENSCHAFTLICHE PUBLIKATIONEN

Stand Oktober 2011

- 1. Reimer, G. (1982)**
Tumorförmige Tuberculois cutis luposa. *Aktuelle Dermatologie* 8, 26-28.
- 2. Reimer, G. and D. Djawari (1982)**
Lymphocytotoxicity for oral epithelial cells in Behcet's disease. A case report. *Dermatologica* 164, 82-89.
- 3. Reimer, G. (1982)**
Zur Klinik und Immunpathologie des Morbus Behcet. *Deutsche Zeitschrift für Mund-Kiefer-Gesichtschirurgie* 6, 174-178.
- 4. Reimer, G., S. Steinkohl, D. Djawari and O.P. Hornstein (1982)**
Lytic effect of cytotoxic lymphocytes on oral epithelial cells in Behcet's disease. *British Journal of Dermatology* 107, 529-536.
- 5. Reimer, G., I. Link und H. Hauck (1982)**
Senear-Usher-Syndrom: Begleithämophilie durch das Auftreten eines Faktor VIII Hemmkörpers. *Der Hautarzt* 34, 645-648.
- 6. Deinlein, E., G. Reimer, U. Huschka und S. Rios-Arizpe (1982)**
Immunpathologische Untersuchungen bei Herpes gestationis. *Der Hautarzt* 34, 6-9.
- 7. Simon, M., jr., F. Unterpaintner und G. Reimer (1982)**
Immunphänomene bei Lichen ruber – eine immunfluoreszenzmikroskopische Studie. *Zeitschrift für Hautkrankheiten* 58, 121-128.
- 8. Reimer, G. and D. Djawari (1983)**
Lymphocytotoxicity for oral epithelial cells in Behcet's disease. In: *International Synopsis. Dermatology Digest/March 1982*, 4.
- 9. Reimer, G. und M. Simon jr. (1983)**
Lymphozytotoxizität bei Lichen planus der Mundschleimhaut. *Der Hautarzt. Supplementum VI*, 32, 238.

- 10. Reimer, G., U. Huschka und J. Keller (1983)**
Epidermale nukleäre Immunglobulin-Ablagerungen bei progressiver Sklerodermie. *Der Hautarzt. Supplementum*, VI, 34.237.
- 11. Simon, M. jr., F. Unterpaintner und G. Reimer (1983)**
Immunphänomene bei Lichen ruber. *Der Hautarzt. Supplementum VI*, 34, 298.
- 12. Simon, M. jr., G. Reimer, M. Schardt and O.P. Hornstein (1983)**
Lymphocytotoxicity for oral epithelial mucosa in lichen planus. *Dermatologica* 167, 11-15.
- 13. Reimer, G., U. Huschka, J. Keller, R. Kammerer and O.P. Hornstein (1983)**
Immunofluorescence studies in progressive systemic sclerosis (scleroderma) and mixed connective tissue disease. *British Journal of Dermatology* 109, 27-36.
- 14. Reimer, G., L. Luckner and O.P. Hornstein (1983)**
Direct immunofluorescence in recurrent aphthous ulcers and Behcet's disease. *Dermatologica* 167, 293-298.
- 15. Reimer, G., G. Liebel and O.P. Hornstein (1984)**
In vitro complement activation by antinuclear antibodies in the epidermis from patients with systemic sclerosis. *British Journal of Dermatology* 110, 169-174.
- 16. Reimer, G., R.L. Rubin, B.L. Kotzin and E.M. Tan (1984)**
Anti-native DNA antibodies from autoimmune sera also bind to DNA in mitochondria. *Journal of Immunology* 133, 2532-2536.
- 17. Rubin, R.L., G. Reimer, E.M. McNally, S.R. Nusinow, R.P. Searles and E.M. Tan (1986)**
Procainamide elicits a selective autoantibody immune response. *Clinical and Experimental Immunology* 63, 58-67.
- 18. Reimer, G., U. Scheer, J.-M. Peters and E.M. Tan (1986)**
Immunolocalization and partial characterization of a nucleolar autoantigen (PM-Scl) associated with polymyositis/scleroderma overlap syndromes. *Journal of Immunology* 137, 3802-2808.
- 19. Reimer, G., K.M. Rose, U. Scheer and E.M. Tan (1987)**
Autoantibody to RNA polymerase I in scleroderma sera. *Journal of Clinical Investigation* 79, 65-72.
- 20. Reimer, G., K.M. Pollard, C.A. Penning, R.L. Ochs, M.A. Lischwe, H. Busch and E.M. Tan (1987)**
Monoclonal antibody from a (New Zealand black x New Zealand white) F1 mouse and some human scleroderma sera target a Mr 34,000 nucleolar protein of the U3-ribonucleoprotein particle. *Arthritis and Rheumatism* 30, 794-800.
- 21. Reimer, G., R.C.Cornell and E.M. Tan (1987)**
The biochemical nature of antigens reactive with antinuclear antibodies. In: *Immunopathology of the Skin* (Beutner, E.H., T.P.Chorzelski and V.K.Kumar editors), 3rd edition . *Wiley Medical Publication*, 519-531.

- 22. Reimer, G. and E.M. Tan (1987)**
Antinuclear antibodies. In: *Internal Medicine* (Stein, J.H. Editor-in-Chief), 2nd edition. *Little, Brown and Company Medical Division*, pp 1200-1204.
- 23. Tan, E.M., G. Reimer and K. Sullivan (1987)**
Intracellular autoantigens: diagnostic fingerprints but etiological dilemmas. *Chichester (Ciba Geigy Foundation Symposium)*, 25-42.
- 24. Reimer, G. (1987)**
Nukleoläre Autoantigene bei progressiver Sklerodermie – Makromolekulare Charakterisierung und klinische Bedeutung. *Habilitationsschrift. Friedrich-Alexander-Universität, Erlangen-Nürnberg*.
- 25. Reimer, G. (1987)**
Zellkernantigene bei systemischen Autoimmunerkrankungen: Molekulare Charakteristika und klinische Bedeutung. *Zentralblatt für Haut- und Geschlechtskrankheiten* 153, 789-800.
- 26. Benavente, R., K.M. Rose, G. Reimer, B. Hügler-Dörr and U. Scheer (1987)**
Inhibition of nucleolar reformation after microinjection of antibodies to RNA polymerase I into mitotic cells. *Journal of Cell Biology* 105, 1843-1491.
- 27. Reimer, G., I. Raska, E.M. Tan and U. Scheer (1987)**
Human autoantibodies: probes for nucleolus structure and function. *Virchows Archiv B* 54, 131-143.
- 28. Reimer, G. (1988)**
Zellkernantigene bei systemischen Autoimmunerkrankungen. In: *Neue Entwicklungen in der Dermatologie* (Hornstein, O.P., Hundeiker, M. und J. Schönfeld Herausgeber). *Springer Verlag*, 12-23.
- 29. Reimer, G., V.D. Steen, C.A. Penning, T.A. Medsger and E.M. Tan (1988)**
Correlates between antibodies to nucleolar antigens and clinical features in patients with systemic sclerosis (scleroderma). *Arthritis and Rheumatism* 31, 525-532.
- 30. Reimer, G., I. Raska, U. Scheer and E.M. Tan (1988)**
Immunolocalization of 7-2 ribonucleoprotein in the granular component of the nucleolus. *Experimental Cell Research* 176, 117-125.
- 31. Haaf, T., G. Reimer and M. Schmid (1988)** Immunocytochemistry: I. Localization of transcriptionally active rRNA genes in nucleoli and nucleolus organizer regions by human autoantibodies to RNA polymerase I. *Cytogenetics and Cell Genetics* 48, 35-42.
- 32. Benavente, R., M.S. Schmidt-Zachmann, B. Hügler-Dörr, G. Reimer, K.M. Rose and U. Scheer (1988)**
Identification and definition of nucleolar-related fibrillar bodies in micronucleated cells. *Experimental Cell Research* 178, 518-523.
- 33. Benavente, R., G. Reimer, K.M. Rose, B. Hügler-Dörr and U. Scheer (1988)**
Nucleolar changes after microinjection of antibodies to RNA polymerase I into the nucleus of mammalian cells. *Chromosoma* 97, 115-123.

- 34. Raska, I., G. Reimer, M. Jarnik, Z. Kostrouch and K. Raska, jr.** (1989)
Does the synthesis of ribosomal RNA take place within nucleolar centers or dense fibrillar components? *Biology of the Cell* 65, 79-82.
- 35. Pollard, K.M., G. Reimer and E.M. Tan** (1989)
Autoantibodies in scleroderma. *Clinical and Experimental Rheumatology* 7/S-3, 57-62.
- 36. Reimer, G.** (1990)
Autoantibodies against nuclear, nucleolar, and mitochondrial antigens in systemic sclerosis (scleroderma). In: *Rheumatic Diseases Clinics of North America*. W.B. Saunders Company, Philadelphia, Vol.16. No.1, 169-183.
- 37. Kurzhals, G., M. Meurer, Th. Krieg and G. Reimer** (1990)
Clinical association of autoantibodies to fibrillarin with diffuse scleroderma and disseminated teleangiectasia. *Journal of the American Academy of Dermatology* 23, 832-836.
- 38. Piccinini, G., E. Gardellini, G. Reimer, F.C. Arnett and E. Durban** (1991)
An antigenic region of topoisomerase I in DNA polymerase chain reaction-generated fragments recognized by autoantibodies of scleroderma patients. *Molecular Immunology* 28, 333-339.
- 39. Reimer, G., and E.M. Tan** (1993)
Systemic sclerosis (scleroderma) and mixed connective tissue disease. In: *Clinical Aspects of Immunology* (Lachmann, P., D.K. Peters, F.S. Rosen and M.J. Walport editors). Fifth edition. Blackwell Scientific Publications, 1241-1258
- 40. Pollard, K.M. und G. Reimer** (1996)
Humorale, genetische und umweltassoziierte Aspekte der Sklerodermieforschung. *Aktuelle Rheumatologie* 21, 167-170.
- 41. Futura, K., E.K.L Chan, K. Kiyosawa, G. Reimer, C. Luderschmidt and E.M. Tan** (1997)
Heterochromatin protein HP1Hs β (p25 β) and its localization with centromeres in mitosis. *Chromosoma* 106, 11-19.
- 42. Futura, K., B. Hildebrandt, S. Matsuoka, K. Kiyosawa, G. Reimer, C. Luderschmidt, E.K.L. Chan and E.M. Tan** (1998)
Immunological characterization of heterochromatin p25 β autoantibodies and relationship with centromere autoantibodies and pulmonary fibrosis in systemic scleroderma. *Journal of Molecular Medicine* 76, 54-60.
- 43. Raska I. and G. Reimer** (1999)
Human autoantibodies identify a protein in dense fibrillar and granular components of the nucleolus. *Acta histochemica* 101, 157-166.
- 44. Percipalle, P., N. Fomproix, E. Cavellan, R. Voit, G. Reimer, T. Krüger, J. Thyberg, U. Scheer, I. Grummt and A.-K. Östlund Farrants** (2006)
The chromatin remodelling complex WSTF-SNF2h interacts with nuclear myosin1 and has a role in RNA polymerase I transcription. *EMBO reports* 7, 525-530.
- 45. Reimer, G., Brudler, O., Heinrich, B. und M. Bangerter** (2008). EGFR-Blocker bremsen Tumorwachstum, aber: In vier von fünf Fällen reagiert auch die Haut. *InFoOnkologie* 11, 281-283 (Nr. 4)

46. **Reimer, G., Brudler, O., Heinrich, B., und M. Bangerter** (2008)
Nebenwirkungen der EGFR-Blockade. Hautschutz gehört mit zur Therapie. MMW-Fortschr.Med. Nr. 49-50, 37-40
47. **Reimer, G., Brudler, O., Heinrich, B., und M. Bangerter** (2009)
Nebenwirkungen der EGFR-Blockade. Hautschutz gehört mit zur Therapie. hautnah dermatologie 2,68-70.
48. **Gutzmer, R., Becker, J.C., Enk, A., Garbe, C., Hauschild, A., Leverkus, M., Reimer, G., Treudler, R., Tsianakas, A., Ulrich, C., Wollenber, A. und B. Homey** (2011)
Management kutaner Nebenwirkungen von EGFR-Inhibitoren: Empfehlungen eines deutschen Expertengremium für den primär behandelnden Arzt. J.Dtsch Dermatol Ges. 9(3): 195-203.